

# WPS12UT

## DIGITAL SCALE WITH UTILITY BOWL



WPS12UT


### WEIGH




Chux Pads



Wet Diapers



Organs



Lap Sponges

### Submersible Underwater for Hygienic Cleaning

- Accurately measure fluids or blood loss during clinical procedures
- High-quality stainless steel construction
- Rechargeable battery pack included
- Digital accuracy down to 1 gram
- Six different capacities, including 192 oz x 0.05 oz and 5,500 g x 1 g

# COMPLETELY SUBMERSIBLE UNDERWATER

FOR EASY  
CLEANING



IDEAL  
FOR  
QBL  
WEIGHT

Excellent for weighing diaper fluids or blood loss absorbed by chuxs used in the OR when mothers hemorrhage during labor.

## Completely-sealed design allows the scale and bowl to be submersible underwater for sanitary washdown environments

DETECTO's model WPS12UT IP67-rated washdown digital scale with utility bowl can be submersed underwater for easy clean up that is necessary in clinical industry applications. This scale is ideal for weighing used chux underpads, wet diapers (for both adults and children), lap sponges, and organs.

- 4.6 in / 11.7 cm deep bowl aids sample retention and allows easy clean-up
- Tare button removes the dry diaper or chux weight and measures fluid output of the soiled diaper or bloody chux
- Built-in rechargeable battery pack and AC adapter included
- 12-lb capacity with 0.1-oz accuracy



- Attractive backlit blue LCD readouts with convenient display viewing angle
- Stainless steel scale and bowl for sterile environments



The stainless steel scale and bowl construction prevents corrosion and keeps water from reaching the more delicate working parts of the scale electronics.





# WPS12UT

## DIGITAL SCALE WITH UTILITY BOWL



**WEIGH, MEASURE, AND  
QUANTIFY BLOOD LOSS  
FOR OPTIMAL QBL**



**Whether the fluid loss is collected by lap sponges, diapers, or underpads, DETECTO's WPS12UT digital scale will weigh it accurately and precisely in a second.**

- Raised Buttons Allow for Tactile Functionality and Easy Operation
- Convenient Upward-Facing Weight Display Viewing Angle
- Tare Function to Remove the Weight of a Dry Chux or Diaper
- Instantly Displays Weight in Both Decimals and Fractions
- 1.2-in/30-mm High Backlit LCD is Easily Readable in Dimly-Lit Areas
- Toggle Through Six Different Weight Capacity Display Options
- Convenient 80-Hour Rechargeable Battery Pack Allows the Scale to be Moved Wherever it's Needed Most



### RECHARGEABLE BATTERY & WATERTIGHT PLUG

The NSF-certified stainless steel scale offers a dual power source of rechargeable battery power or 120V AC adapter (included) with a watertight AC plug on the side. The automatic shutoff feature helps conserve battery life.

**DETECTO**  
[www.Detecto.com](http://www.Detecto.com)

**WEIGH**




Chux Pads



Wet Diapers



Organs



Lap Sponges

# LARGE 1-INCH-HIGH LCD DIGITS

# GRAMS FRACTIONAL OUNCES AND MORE

The WPS12UT includes the submersible WPS12 Mariner® scale, roomy stainless steel bowl, AC adapter, quick set-up instruction sheet, and full operation manual.



NSF Certified

The NSF-certified WPS12UT saves time and helps reduce the risk of bacteria harboring in the nooks and crannies of the scale by providing complete submersion underwater when washing for sanitary environments.



	WPS12UT
<b>Capacity/Resolution</b>	12 lb x 0.1 oz / 12 lb x 0.005 lb / 12 lb x 1/8 oz / 192 oz x 0.05 oz / 192 oz x 1/8 oz / 5,500 g x 1 g
<b>Overall Dimensions (Scale and Bowl)</b>	13.6 in W x 13.6 in D x 6.9 in H / 34.5 cm W x 34.5 cm D x 17.5 cm H
<b>Bowl Dimensions</b>	13.6 in W x 13.6 in D x 4.6 in H / 34.5 cm W x 34.5 cm D x 11.7 cm H
<b>Construction</b>	Stainless steel (bowl and scale enclosure)
<b>Display</b>	1.2-in / 30-mm high backlit blue LCD, 5 digits
<b>Digits</b>	1-in / 25-mm high black LCD
<b>Keypad Buttons</b>	ON/OFF, UNITS/Backlight, SET, TARE
<b>Power</b>	AC Adapter (included): 120 VAC input 9V, 100mA output. Battery (included): Ni-MH rechargeable 4.8 VDC 1800 mA
<b>Battery Life</b>	80 hours of continuous use with a fully recharged battery pack
<b>Feet</b>	6 rubberized feet for traction
<b>Tare</b>	100% of full scale capacity
<b>Zero</b>	Established on power up routine and maintained by auto-zero circuitry
<b>Enclosure Rating</b>	IP67 submersible
<b>Certification</b>	NSF Approved
<b>Operating Temperature</b>	40° to 105°F (5° to 40°C)
<b>Storage Temperature</b>	40° to 140°F (5° to 60°C). Please Note: The WPS12UT is not commercial dishwasher safe.
<b>Net Weight</b>	4.6 lb / 2.1 kg
<b>Shipping Weight</b>	7.6 lb / 3.4 kg
<b>UPC Code</b>	809161317404



102 E. Daugberty, Webb City, MO 64870 USA  
Ph: 417-673-4631 or 1-800-641-2008 Fax: 417-673-2153  
www.Detecto.com

**Mobile:** m.detecto.com

DETECTO reserves the right to improve, enhance, or modify features and specifications without prior notice.

**SOLD BY:**